

09/847,466.

Cofc  
HRIN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Inventor: G. Van den Engh Attorney Docket No: UWOTL126694  
Patent No: US 6,982,785 B2 Art Unit: 2878  
Issued: January 3, 2006 Confirmation No.: 7465  
Title: APPARATUS FOR DETERMINING RADIATION BEAM ALIGNMENT

REQUEST FOR SUPPLEMENTAL CERTIFICATE OF CORRECTION

Seattle, Washington 98101

ATTN: CERTIFICATE OF CORRECTION BRANCH  
COMMISSIONER FOR PATENTS:

Enclosed is a Supplemental Certificate of Correction, Form PTO 1050, for the above-identified U.S. Letters Patent. The error in the printed patent listed on the enclosed form occurred at the corresponding location in the application file listed below:

Column,	Line	Page,	Line
1	5-7	1	3-5

Enclosed is Check No. 172953 to cover the fee of \$100. The Commissioner is hereby authorized to charge any fees associated with this paper, or credit any overpayment, to Deposit Account No. 03-1740. A copy of this request is enclosed.

Respectfully submitted,

CHRISTENSEN O'CONNOR  
JOHNSON KINDNESS<sup>PLLC</sup>

Ryan E. Dodge, Jr.  
Registration No. 42,492  
Direct Dial No. 206.695.1724

**Certificate**  
NOV 16 2006  
**of Correction**

I hereby certify that this correspondence is being deposited with the U.S. Postal Service in a sealed envelope as first-class mail with postage thereon fully prepaid and addressed to Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450, on the below date.

Date: November 8, 2006

RED:lac/tmm

UWOTL1266941721.DOC

LAW OFFICES OF  
CHRISTENSEN O'CONNOR JOHNSON KINDNESS<sup>PLLC</sup>  
1420 Fifth Avenue  
Suite 2800  
Seattle, Washington 98101  
206.682.8100

11/14/2006 SSESHE1 00000011 6982785 100.00 DP  
01 FC:1811



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Inventor: G. Van den Engh Attorney Docket No: UWOTL126694  
Patent No: US 6,982,785 B2 Art Unit: 2878  
Issued: January 3, 2006 Confirmation No.: 7465  
Title: APPARATUS FOR DETERMINING RADIATION BEAM ALIGNMENT

REQUEST FOR SUPPLEMENTAL CERTIFICATE OF CORRECTION

Seattle, Washington 98101

ATTN: CERTIFICATE OF CORRECTION BRANCH  
COMMISSIONER FOR PATENTS:


Enclosed is a Supplemental Certificate of Correction, Form PTO 1050, for the above-identified U.S. Letters Patent. The error in the printed patent listed on the enclosed form occurred at the corresponding location in the application file listed below:

Column,	Line	Page,	Line
1	5-7	1	3-5

Enclosed is Check No. 172953 to cover the fee of \$100. The Commissioner is hereby authorized to charge any fees associated with this paper, or credit any overpayment, to Deposit Account No. 03-1740. A copy of this request is enclosed.


Respectfully submitted,

CHRISTENSEN O'CONNOR  
JOHNSON KINDNESS<sup>PLLC</sup>

  
Ryan E. Dodge, Jr.  
Registration No. 42,492  
Direct Dial No. 206.695.1724

I hereby certify that this correspondence is being deposited with the U.S. Postal Service in a sealed envelope as first-class mail with postage thereon fully prepaid and addressed to Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450, on the below date.

Date: November 8, 2006



RED:lac/tmm

UNITED STATES PATENT AND TRADEMARK OFFICE  
**SUPPLEMENTAL CERTIFICATE OF CORRECTION**

PATENT NO. : US 6,982,785 B2  
DATED : January 3, 2006  
INVENTOR(S) : G.J. Van den Engh

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

<u>COLUMN</u>	<u>LINE</u>	<u>ERROR</u>
1	5-7	"grant number T32 GM00035-05 awarded by the National Institutes of Health and grant number BIR 9214821 awarded by the National Science Foundation." should read --grant number DE-FG06-93ER61662 awarded by the Department of Energy-- Richland. --

MAILING ADDRESS OF SENDER:

Christensen O'Connor Johnson Kindness<sup>PLLC</sup>  
1420 Fifth Avenue, Suite 2800  
Seattle, WA 98101

PATENT NO. US 6,982,785 B2

No. of add'l copies  
@ 50¢ per page.  
UWOTL\26694173A1.DOC

⇒